

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	44	TORIYAMA-HIDEYUKI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:22
L2	7	TORIYAMA-HIDEYUKI and shad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:22

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6151419".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:57
S2	2	"5608664".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:21
S3	6273	(max\$4 or peak) with average with (difference or differential or subtract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:22
S4	136	(max\$4 or peak) with average with (difference or differential or subtract\$4) with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:23
S5	26	(max\$4 or peak) with average with (difference or differential or subtract\$4) with sensor with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:32
S6	5	(max\$4 or peak) with average with (difference or differential or subtract\$4) with sensor with scan\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:32
S7	2	"4168120".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:57
S8	572	average with peak with correct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:54

S9	13	average with peak with correct\$4 same plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:46
S10	55	average with (peak or max or maximum or high or highest) with correct\$4 same plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:48
S11	8	average with peak with correct\$4 with shad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:55
S12	1	"4168120".pn. and (coefficient or factor)	USPAT	OR	OFF	2005/01/06 15:05
S13	1	"4168120".pn. and reference	USPAT	OR	OFF	2005/01/06 15:06
S14	0	"4168120".pn. and shad\$4	USPAT	OR	OFF	2005/01/06 15:06
S15	2	"6075590".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 08:46
S16	0	382/274.ccls. and average with (peak or max\$5 or high\$4) with correct\$4 same plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:56
S17	25	382/274.ccls. and average with (peak or max\$5 or high\$4) and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:58
S18	0	382/274.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:00
S19	2	358/461.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:01

S20	5	358/461.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:02
S21	27	382/274.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:45
S22	4	382/274.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) same (coefficient or factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:49
S23	0	358/461.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) same (coefficient or factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:49

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	382/274.ccls. and average with (peak or max\$5 or high\$4) with correct\$4 same plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:56
L2	25	382/274.ccls. and average with (peak or max\$5 or high\$4) and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:58
L3	0	382/274.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:00
L4	2	358/461.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:01
L5	5	358/461.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:02
L6	27	382/274.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:45
L7	4	382/274.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) same (coefficient or factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:49
L8	0	358/461.ccls. and ((difference or variance or subtrat\$4) with average with (peak or max\$5 or high\$4)) same (coefficient or factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:49

358

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6151419".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:57
S2	2	"5608664".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:21
S3	6273	(max\$4 or peak) with average with (difference or differential or subtract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:22
S4	136	(max\$4 or peak) with average with (difference or differential or subtract\$4) with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:23
S5	26	(max\$4 or peak) with average with (difference or differential or subtract\$4) with sensor with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:32
S6	5	(max\$4 or peak) with average with (difference or differential or subtract\$4) with sensor with scan\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:32
S7	2	"4168120".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:57
S8	572	average with peak with correct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:54

S9	13	average with peak with correct\$4 same plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:46
S10	55	average with (peak or max or maximum or high or highest) with correct\$4 same plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:48
S11	8	average with peak with correct\$4 with shad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:55
S12	1	"4168120".pn. and (coefficient or factor)	USPAT	OR	OFF	2005/01/06 15:05
S13	1	"4168120".pn. and reference	USPAT	OR	OFF	2005/01/06 15:06
S14	0	"4168120".pn. and shad\$4	USPAT	OR	OFF	2005/01/06 15:06

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office


» Se.

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)

Quick Links

## Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

## IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **30** of **1108362** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

## Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

(shading or shade or luminance)&lt;and&gt;(correction or

Search

☐ Check to search within this result set

## Results Key:

**JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard1 **Some experiments on vector quantization using neural nets***Lancini, R.; Perego, F.; Tubaro, S.;*

Global Telecommunications Conference, 1991. GLOBECOM '91. Countdown to New Millennium. Featuring a Mini-Theme on: Personal Communications Services, 2-5 Dec 1991

Pages:135 - 139 vol.1

[\[Abstract\]](#)[\[PDF Full-Text \(436 KB\)\]](#)

IEEE CNF

2 **Motion adaptive 3D Y/C separation algorithm using motion estimation and motion compensation***Sang-Um Choi; Sun-Kyu Kwon; Hyun-Woo Kim; Yong-Sung Kwon; Yeong-Ho*  
Consumer Electronics, IEEE Transactions on, Volume: 47, Issue: 4, Nov. 20  
Pages:770 - 778[\[Abstract\]](#)[\[PDF Full-Text \(1007 KB\)\]](#)

IEEE JNL

3 **A statistical approach for topographic correction of satellite images using spatial context information***Degui Gu; Gillespie, A.R.; Adams, J.B.; Weeks, R.;*

Geoscience and Remote Sensing, IEEE Transactions on, Volume: 37, Issue: 1, Jan. 1999

Pages:236 - 246

[\[Abstract\]](#)[\[PDF Full-Text \(436 KB\)\]](#)

IEEE JNL

4 **Error concealment of video based on motion estimation***Ma Shexiang; Guizhong Liu;*

Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02). II International Conference on, Volume: 4, 13-17 May 2002



Pages:IV-4191 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(199 KB\)\]](#) IEEE CNF

---

**5 Low delay, error robust wireless video transmission architecture for video communication**

*Tu-Chih Wang; Hung-Chi Fang; Liang-Gee Chen;*

Multimedia and Expo, 2002. ICME '02. Proceedings. 2002 IEEE International Conference on , Volume: 1 , 26-29 Aug. 2002

Pages:265 - 268 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) IEEE CNF

---

**6 Automatic visual inspection of the surface appearance defects of be roller**

*Xian, W.; Zhang, Y.; Tu, Z.; Hall, E.L.;*

Robotics and Automation, 1990. Proceedings., 1990 IEEE International Conference on , 13-18 May 1990

Pages:1490 - 1494 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(316 KB\)\]](#) IEEE CNF

---

**7 Image sequence coding using interframe VDPCM and motion compensation**

*Thyagarajan, K.S.; Sanchez, H.;*

Acoustics, Speech, and Signal Processing, 1989. ICASSP-89., 1989 International Conference on , 23-26 May 1989

Pages:1858 - 1861 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(296 KB\)\]](#) IEEE CNF

---

**8 Differential Encoding of Composite Color Television Signals Using Chrominance-Corrected Prediction**

*Thompson, J.;*

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 22 , Issue: 8 , Aug 1974

Pages:1106 - 1113

[\[Abstract\]](#) [\[PDF Full-Text \(1048 KB\)\]](#) IEEE JNL

---

**9 Low-delay and error-robust wireless video transmission for video communications**

*Tu-Chih Wang; Hung-Chi Fang; Liang-Gee Chen;*

Circuits and Systems for Video Technology, IEEE Transactions on , Volume: 12 , Issue: 12 , Dec. 2002

Pages:1049 - 1058

[\[Abstract\]](#) [\[PDF Full-Text \(803 KB\)\]](#) IEEE JNL

---

**10 On optimal shading for arrays of irregularly-spaced or noncoplanar elements**

*Gallaudet, T.C.; de Moustier, C.P.;*

Oceanic Engineering, IEEE Journal of , Volume: 25 , Issue: 4 , Oct. 2000

Pages:553 - 567

[\[Abstract\]](#) [\[PDF Full-Text \(1252 KB\)\]](#) IEEE JNL

---

**11 Boundary conditions and fast algorithms for surface reconstruction from synthetic aperture radar data**

*Ostrov, D.N.;*

Geoscience and Remote Sensing, IEEE Transactions on , Volume: 37 , Issue: 1 , Jan. 1999

Pages:335 - 346

[\[Abstract\]](#) [\[PDF Full-Text \(484 KB\)\]](#) IEEE JNL

---

**12 WHT-based composite motion compensated NTSC interframe direct coding**

*Hamada, T.; Matsumoto, S.;*

Communications, IEEE Transactions on , Volume: 44 , Issue: 12 , Dec. 1996

Pages:1711 - 1719

[\[Abstract\]](#) [\[PDF Full-Text \(708 KB\)\]](#) IEEE JNL

---

**13 Motion-compensated video coding with adaptive perceptual quantization**

*Puri, A.; Aravind, R.;*

Circuits and Systems for Video Technology, IEEE Transactions on , Volume: 1 , Issue: 4 , Dec. 1991

Pages:351 - 361

[\[Abstract\]](#) [\[PDF Full-Text \(908 KB\)\]](#) IEEE JNL

---

**14 Correction to 'Directory-based cache coherence in large-scale multiprocessor'**

*Chaiken, D.; Fields, C.; Kurihara, K.; Agarwal, A.;*

Computer , Volume: 23 , Issue: 7 , July 1990

Pages:13

[\[Abstract\]](#) [\[PDF Full-Text \(52 KB\)\]](#) IEEE JNL

---

**15 Compatible analog coding of television signals for correction of transmission burst errors: a computer evaluation**

*Kim, H.-Y.; Marshall, T.G., Jr.;*

Consumer Electronics, IEEE Transactions on , Volume: 36 , Issue: 3 , Aug 199

Pages:223 - 229

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) IEEE JNL

---

[1](#) [2](#) [Next](#)

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved